


Mechanism Action of Omega-3



AHA Recommendation



The American Heart Association recommends at least **2 servings per week of fish**, and it is best to recommend the dark, fatty fish that are **high in EPA/DHA**

JoAnn Manson, MD DrPH (Medscape ObGyn) – 04/20/2012



US FDA Approved

Omega-3 is approved by the US Food and Drug Administration, **each 1-g capsule of Omega-3 contains highly concentrated ethyl esters of Omega-3 fatty acids**, primarily eicosapentaenoic acid (**EPA**) **465 mg** and docosahexaenoic acid (**DHA**) **375 mg**.



Dosing for fish oil supplements should be based on the amount of EPA and DHA, not on the total amount of fish oil.

CORMEGA Totally Different with others Omega-3

1. Based on AHA (American Heart Association) recommendations dosage with high of EPA and DHA (JoAnn Manson, MD DrPH (2012).
2. High concentration of Omega-3 with EPA (465 mg) and DHA (375mg) formulation have been approved by FDAUS.
3. Raw materials comply with Pharmaceutical Grade requirement, US Pharmacopeia, British Pharmacopeia and GOED (Global Organization for EPA & DHA, Omega-3 No risk contamination mercury, etc,...)
4. Halal Certificate (Indonesia)
5. Due to high EPA and DHA in each soft capsule saving 50% compared with others omega-3
6. Highly Supported by published clinical trials.
7. Dosing for fish oil supplements should be based on the amount of EPA and DHA, not on the total amount of fish oil.

Composition :

Each soft capsule contains :
 1 g Omega-3 acid ethyl esters 90 %
 EPA (Eicosapentaenoic acid) minimum 440 mg
 DHA (Docosahexanoic acid) minimum 370 mg

Usage :

Supplement for maintenance of health.

Contraindications :

This supplement is contraindicated in patients who exhibit hypersensitivity to any of its component.

Dosage and Administration :

2 soft capsules daily

Adverse Effects :

The most common side effects with this supplement are burping, upset stomach, change in sense of taste and skin rash.

Warning and Precautions :

Used with caution in patients with known sensitivity or allergy to fish.
 Fish oils supplementation should be stopped 2 weeks before surgery, because it can increase the risk of bleeding.
 Supplements cannot replace all of the nutrients and benefits of whole foods.

Storage :

Store below 25°C, in a dry place and protect from light.

Presentation :

Box, Bottle @ 30 soft capsules

Cormega®

1 g Omega-3 acid ethyl esters 90%

EPA min 440 mg, DHA min 370 mg

The Most Valuable Omega-3 in Daily Practice



CONTACT PERSON

Yulia P. Hidayat
 Phone : +62 21 2983 0555
 Mobile : +62 811 957 572
 Email : yuliahidayat@mensa-group.com

Fauzy Antemas

Phone : +62 21 2983 0555
 Mobile : +62 812 1825 9534
 Email : faouzy@mensa-group.com

MENSA GROUP

Mensa Encore, 2nd Floor
 Kawasan Industri Pulogadung
 Jl. Pulo Ayang, Kav. III R-31 - Jakarta 13930
 T. +62 21 2983 0555, 2962 0000
 F. +62 21 2983 0444, 2983 0666
www.mensa-group.com