





E U R O S H I E L D
PROTECTING YOUR HOME | CONSERVING OUR PLANET

Roofing Ahead of the Curve

Made from 70% Recycled Tires



EUROSHIELD
PROTECTING YOUR HOME | CONSERVING OUR PLANET

Product Line Up



EUROSHIELD
PROTECTING YOUR HOME | CONSERVING OUR PLANET



VERMONT SLATE

1.3cm Thick

23 cm Reveal

102cm x 51cm Panels

Interlock System

Available in Grey, Black, Brown &
Driftwood

Has Both Eave & Rake/Valley Starter



EUROSHIELD

PROTECTING YOUR HOME | CONSERVING OUR PLANET



BEAUMONT SHAKE

1.3cm Thick

23 cm Reveal

102cm x 51cm Panels

Interlock System

Available in Grey, Black, Brown &
Driftwood

Has Both Eave & Rake/Valley Starter

RUNDLE SLATE

1.9cm Thick

25cm Reveal

91cm x 57cm Panels

Interlock System

Available in Grey, Black, Brown &

Driftwood

Has Eave Starter



EUROSHIELD

PROTECTING YOUR HOME | CONSERVING OUR PLANET



RANCHLANDS SHAKE
1.9cm Thick
25cm Reveal
91cm x 57cm Panels
Interlock System
Available in Grey, Black, Brown &
Driftwood
Has Eave Starter

VERMONT SLATE HP (Hail Proof)

0.8cm Thick

23cm Reveal

102cm x 51cm Panels

Interlock System

Available in Grey, Black, Brown &
Driftwood

Has Both Eave & Rake/Valley Starter





Protect Your Home

- Unique interlocking system to withstand harsh elements
- Class 4 impact rating (UL2218)
- Passed 275km/h straight wind test
- Vermont Slate HP provides protection against unlimited hail diameter strikes
- Standard protects provide 10cm hail protection
- 50 year prorated limited lifetime warranty

How does 10cm hail impact your roof?



[Click to go to the video on YouTube](#)



Conserve Our Planet

- Manufactured from 70% recycled material
- Contains highest quality crumb rubber
- Developed to reduce the deluge of both tires and asphalt shingles clogging our landfills
- Approximately 300 tires are used to produce one Euroshield roof
- Fully recyclable at the end of their life cycle



Installation

“13 mm” Products

- Designed to be installed on roofs with a slope of 4/12 or greater, can go under 4/12 but full deck **MUST** be covered in ice & water shield
- Synthetic Woven Underlayment
- Each panel of Beaumont Shake contains 8 45 mm roofing nails each panel of Vermont Slate has 6 45mm nails.
- Caps for both styles should be screwed on with 5cm deck screws
- 6 course repeating pattern
- Gable finish options
 - 19 mm overhang or finish with ridge cap
 - 4.8 mm between panel and raised metal edge or 1 3/16 high raised edge



Measurements are taken from the outside edge of weather strip tab on the right side of the panel



EUROSHIELD
PROTECTING YOUR HOME | CONSERVING OUR PLANET

PROPER LAYOUT MUST BE FOLLOWED OR UNDESIRED RESULT CAN OCCUR

Panel Loc BEAUMONT SHAKE

Nail in the 8 locations indicated by "X" or "0"
Using 1 19mm roofing nails

Lock Channel

Lock Tab

VERMONT SLATE Panel Loc

Nail where indicated in target "0" Location (6 - 1 19mm nails)




Valley and Gable Starter Strip

Panel Loc Starter Strip

Nail where indicated by "0" using 8 roofing nails 1 19mm long






EUROSHIELD
PROTECTING YOUR HOME | CONSERVING OUR PLANET



“19 mm” Products

- Designed to be installed on roofs with a slope of 4/12 or greater, can go under 4/12 but full deck **MUST** be covered in ice & water shield
- Synthetic Woven Underlayment
- Rundle Slate is 7 Nails per panel, Ranchlands Shake is 6
- Caps for both styles should be screwed on with 50 mm deck screws
- 6 course repeating pattern
- Gable finish options
 - 19 mm overhang
 - 4.8 mm between panel and raised metal edge
 - 1 3/16 high raised edge







457mm 457mm
914mm VALLEY

381mm 381mm
762mm VALLEY

305mm 305mm
610mm VALLEY



Why Choose Euroshield?

- All products are Class 4 impact rated
- Superior wind resistance, passed 275 km/h straight wind test
- 70% recycled tires
- 50 year lifetime prorated transferable warranty
- According to our customers
 - Sound deadening and insulating
 - Lower utility bills
 - Potentially lower insurance premiums
- No coating to fail - no granules, no paint
- Affordable permanent roofing solution



Subscribe to us on Youtube:

[Click to go to the YouTube page](#)



Euroshield Rubber Roofing



@Euroshieldroofing · 709 subscribers · 57 videos

EUROSHIELD Roofing Products were created 23 years ago with the goal of diverting and [...more](#)

[euroshieldroofing.com](#) and 1 more link

Subscribed

[Home](#) [Videos](#) [Shorts](#) [Playlists](#)

For You



Real Slate Roof VS Synthetic Slate Roofing Shingles



⋮

July 29, 2022



⋮ How well do Class 4 Impact rated



EUROSHIELD

PROTECTING YOUR HOME | CONSERVING OUR PLANET


Follow us on social media:



Facebook



@EUROSHIELDROOFING



LinkedIn

* - Click on the QR code image to go to the Euroshield page or scan the QR code